

NWP320

Networked audio input panel - 2 x XLR + 3.5 mm jack + BT (4 CH)

Highlights:

- · 2 x XLR inputs
- 3.5mm stereo jack input
- · Integrated Bluetooth receiver
- · Internal mixing & DSP processing
- 4-channel Dante™/AES67

Product information:

The NWP320 is a Dante™/AES67 networked audio input panel, featuring two XLR input connectors, a single 3.5 mm stereo jack stereo input connection, and an integrated Bluetooth receiver, which can be used to transmit audio signals in a Dante™ audio network

Various further integrated DSP functions such as EQ, automatic gain control, and other device settings can be configured through the AUDAC Touch $^{\mathbb{M}}$.

The IP-based communication makes it future-proof while also being backward compatible with many existing products. Thanks to the limited PoE power consumption, NWP320 is compatible with any PoE network-based installation.

Besides the elegant design, the front panel is finished with high-quality fingerprint-resistant glass. The wall panels are compatible with standard EU-style in-wall boxes, making the wall panel the ideal solution for solid and hollow walls. Black and white color options are available to blend into any architectural design.



Certification:



Properties:

internal mixing & EQ

Additional Inputs:

∦ Bluetooth

System specifications:

Inputs		2 x XLR female (in)
		3.5 mm Jack (Stereo)
Control		2 buttons - Mic / Line switching
Indicators		2 LED's (RGB) - Input status
Configurable settings		IP settings
		Device name
		Input range (Mic / Line)
		Gain
		Phantom power
		DSP (EQ)
		Mixing
Configuration		Audac Touch™
Integrated DSP		Yes (EQ)
Automatic level control		Yes
Phantom power		+48 V DC
Power	Supply	PoE powered (IEEE 802.3at)
Connectors		3.5 mm Jack stereo (audio in)
		RJ45 (network + PoE)
		1 x XLR female (audio in)

Product Features:

Construction	ABS	
Front finish	Elegant front panel with glass	
Colours	White (RAL9003) (DWP215/W)	
	Black (RAL9005) (DWP215/B)	
Compatible devices	Any Dante™/AES67 compatible audio device	
Dimensions	80 x 80 mm (W x H) (Remote wall panel)	
Installation standard	Compatible with EU installation materials	

Variants:

- NWP320/B Black version
- NWP320/W White version

